4

CLAIM REVISIONS

Please amend the claims as follows.

Claims 1-6 (Cancelled).

1	7. (Currently Amended) A method, comprising the steps of:
2	receiving at least one physical signal representative of content together with line
3	spectral frequency information
4	computing at least onean inverse polynomial by steps comprising:
5	creating an ordered original series of polynomial factors
6	comprising polynomial factors calculated from line spectral
7	frequencyies coefficients;
8	reducing the number of polynomial factors in the original series,
9	comprising the step of combining the polynomial factors in pairs until
10	only two final polynomial factors remain; and
11	forming the inverse polynomial by multiplying the two final
12	polynomial factors;

C:\\Lip Documents\Anne\legal practice\Philips\presection\NL000385 - 116.doc

- calculating filter coefficients from the inverse polynomial; and
 operating a filter using the calculated filter coefficients to filter a-the signal.
- 8. (previously presented) The method of Claim 7, where the step of reducing comprises the steps of:
- creating an intermediate series of polynomial factors by combining the
- polynomial factors in the original series in pairs; and
- combining the polynomial factors in the intermediate series in pairs,
- wherein a reduced series of polynomial factors is formed.
- 9. (previously presented) The method of Claim 7, where the number of
- polynomial factors in the original series is even and the step of combining comprises
- the steps of combining the first and last polynomial factors in a pair, combining the
- second and next-to-last polynomial factors in a pair, and so forth, until all the
- 5 polynomials in the original series have been combined in pairs.
 - 10. (previously presented) The method of Claim 7, where the number of

- 2 polynomial factors in the original series is odd and the step of combining comprises
- the steps of combining the first and last polynomial factors in a pair, combining the
- second and next-to-last polynomial factors in a pair, and so forth, until all but one of
- the polynomials in the original series have been combined in pairs.
- 11. (previously presented) The method of Claim 7, wherein the original series
- 2 is ordered by increasing line spectral frequency.
- 12. (Previously Presented) The method of Claim 7, wherein the original series
- of polynomial factors is created and ordered as follows:

$$\nu_0[0] = 1 - z^{-1}$$

$$v_0[1] = 1 - 2\cos\omega_1 z^{-1} + z^{-2}$$

$$v_0[2] = 1 - 2\cos\omega_3 z^{-1} + z^{-2}$$

6 through

$$v_0[m_q] = 1 - 2\cos\omega_{2^*m_q-1}z^{-1} + z^{-2}$$

where m, the number of the line spectral frequency coefficients frequencies, is even; ω_l are the individual line spectral frequency coefficients frequencies; $m_q = m/2$;

C:\My Documents\Anne\legal practice\Philips\prosocution\NL000385 -- 116.doc

- and z is a coded speech signal.
- 13. (currently amended) The method of Claim 7, wherein the original series
- of polynomial factors is formed and ordered as follows:

$$v_0[0] = 1 - z^{-1}$$

$$\nu_0[1] = 1 - 2\cos\omega_1 z^{-1} + z^{-2}$$

$$v_0[2] = 1 - 2\cos\omega_3 z^{-1} + z^{-2}$$

6 through

$$v_0[m_q] = 1 - 2\cos\omega_{2*m_q-1}z^{-1} + z^{-2}$$

$$v_0[m_a+1]=1+z^{-1}$$

- where m, the number of the line spectral frequency coefficients frequencies, is odd; ω_l are the individual line spectral frequency coefficients frequencies; $m_q = (m-1)/2$;
- $_{11}$ and z is a coded speech signal.
- 14. (currently amended) A method of receiving speech signals, comprising
- 2 the steps of:

10

receiving a filter description comprising line spectral frequency coefficients;

C:\My Documents\Anne\legal practice\Philips\prosecution\NL000385 - 116.dec

10

12

- computing a linear predictive coding filter from the line spectral frequency coefficients by steps comprising:
- 6 computing an inverse polynomial by steps comprising:
- creating an ordered original series of polynomial factors comprising
 polynomial factors calculated from the line spectral frequency
 coefficients;
 - reducing the number of polynomial factors in the original series, comprising the step of combining the polynomial factors in pairs until only two final polynomial factors remain; and
- forming the inverse polynomial by multiplying the two final polynomial factors; and
- calculating the filter coefficients from the inverse polynomial;
- receiving coded speech; and
- reconstructing the speech signals from the coded speech using the computed linear predictive coding filter.
- 15. (previously presented) The method of Claim 14, where the step of

 C:\My Documents\Anne\legal prestice\Philips\prosecution\NL000385 = 116.doc

 8

- 2 reducing comprises the steps of:
- creating an intermediate series of polynomial factors by combining the
- 4 polynomial factors in the original series in pairs; and
- combining the polynomial factors in the intermediate series in pairs,
- 6 wherein a reduced series of polynomial factors is formed.
- 16. (previously presented) The method of Claim 14, where the number of
- polynomial factors in the original series is even and the step of combining comprises
- the steps of combining the first and last polynomial factors in a pair, combining the
- second and next-to-last polynomial factors in a pair, and so forth, until all the
- polynomials in the original series have been combined in pairs.
- 17. (previously presented) The method of Claim 14, where the number of
- polynomial factors in the original series is odd and the step of combining comprises
- the steps of combining the first and last polynomial factors in a pair, combining the
- second and next-to-last polynomial factors in a pair, and so forth, until all but one of
- the polynomials in the original series have been combined in pairs.

C:\My Documents\Anne\legal practice\Philips\prosecution\NL000385 = 116.doc

- 1 18. (Previously Presented) The method of Claim 14, wherein the original
- series is ordered by increasing line spectral frequency.
- 19. (Previously Presented) The method of Claim 12, wherein combining the
- polynomial factors in pairs creates an intermediate series of polynomial factors defined
- as:
- $v_{i}[i] = v_{0}[i] \cdot v_{0}[m_{4} 1]$
- where $v_i[i]$ represents the *i*-th polynomial factor in the intermediate series of
- 6 polynomial factors.
- 20. (previously presented) The method of Claim 8, further comprising
- receiving a filter description transmitted with a speech signal, the filter description
- comprising the line spectral frequency coefficients.
 - 21. (previously presented) The method of Claim 15, wherein the intermediate

C:\My Documents\Anne\legal practice\Philips\prosecution\NL000385 = 116.doc

- series of polynomial factors are defined as:
- $v_1[i] = v_0[i] \cdot v_0[m_q i]$
- where $v_0[i]$ represents the *i*-th polynomial factor in the original series of
- polynomial factors, $v_1[i]$ represents the *i*-th polynomial factor in the intermediate series
- of polynomial factors, m represents a number of line spectral frequency coefficients,
- $m_q = m/2$ if m is even, and $m_q = (m-1)/2$ if m is odd.
- 1 22. (Previously Presented) The method of Claim 14, wherein receiving the
- 2 filter description comprises receiving the filter description transmitted with a speech
- 3 signal.
 - 23. (currently amended) A method, comprising:
- receiving at least one signal including content and a representation of line
- 6 spectral frequencies
 - creating an original series of polynomial factors using line spectral frequencies
- 8 coefficients;

7

C:\My Documents\Anne\legal prectice\Philips\prosecution\NL000385 - 116.doc

- combining the polynomial factors in pairs until two final polynomial factors
- 10 remain;
- forming an at least one inverse polynomial by multiplying the two final
- 12 polynomial factors;
- calculating filter coefficients using the inverse polynomial; and
- operating a filter using the calculated filter coefficients to filter a-the signal.
- 24. (currently amended) The method of Claim 23, wherein combining the
- 2 polynomial factors in pairs creates an intermediate series of polynomial factors defined
- 3 as:
- $v_1[i] = v_0[i] \cdot v_0 \left[m_q i \right]$
- where $v_0[i]$ represents the *i*-th polynomial factor in the original series of
- polynomial factors, $v_1[i]$ represents the *i*-th polynomial factor in the intermediate
- series of polynomial factors, m represents a number of line spectral frequency
- s exercises even, and $m_q = (m-1)/2$ if m is even, and $m_q = (m-1)/2$ if m is odd.

- 25. (currently amended) The method of Claim 23, further comprising receiving a filter description comprising the line spectral frequency ecefficients frequencies.
- 26. (currently amended) The method of Claim 23, wherein the content comprises encoded speech and operating the filter comprises:
- computing a linear predictive coding filter using the inverse polynomial;
- 4 receiving coded speech; and
- reconstructing speech from the coded speech using the computed linear
- 6 predictive coding filter.

and the second

REMARKS

The holding of allowable subject matter is gratefully acknowledged.

Certain of the claims have been amended to eliminate the terminology "line spectrum frequency coefficients," because the original claims used the terminology "line spectrum frequencies" instead. Applicants note that the specification refers to the items ω_i both as frequencies and as coefficients, so apparently both wordings are correct. Therefore the allowed claims have been left with the "coefficients" wording as well. This change is purely formal in nature and in the interest of pedantry, does not affect the scope of the claims, and is not in response to any rejection.

Claims 7 and 23 have also been added to recite "at least one" inverse polynomial, because two, P(z) and Q(z) are shown in the final formula on page 7. However, this change is purely precautionary in nature. Applicants understand the term "an inverse polynomial" in the allowed claims to include the possibility of more than one such inverse polynomial.

The drawings are changed herein to use the terminology "line spectral

C:\My Docamenta\Amer\legal practice\Philips\procccution\NL000385 - 116-doc 14